



Product: **Solvent**

Grade: **402 (White Spirit)**

Packing: Bulk / 220 kg drum / ISO Tank

| PRODUCT SPECIFICATION | | | |
|------------------------------|--------------|-------------------|--------------------|
| Properties | Value | Units | Test Method |
| Density@15°C | 775 min | kg/m ³ | ASTM D1298 |
| Distillation | - | - | ASTM D86 |
| I.B.P | 142-158 | °C | ASTM D86 |
| 10% Evaporated @ | 158 min | °C | ASTM D86 |
| 50% Evaporated @ | 179 max | °C | ASTM D86 |
| 90% Evaporated @ | 194 max | °C | ASTM D86 |
| Dry Point | 198 max | °C | ASTM D86 |
| Residue | 1.5 max | vol% | ASTM D86 |
| Color Saybolt | 25 min | - | ASTM D156 |
| Odour | Merchantable | - | - |
| Flash Point Tag | 38 min | °C | ASTM D56 |
| Corrosion _ 3hrs @ 100°C | 1a | - | ASTM D130 |
| Sulfur Total | 0.1 max | wt% | ASTM D1266 |
| Doctor Test | Negative | - | ASTM D4952 |
| Aromatic Content | 20 max | vol% | ASTM D381 |
| Gum Existent | 5 max | mg/100 ml | ASTM D381 |
| Neutrality | pass | - | BS 245 |
| Acidity of Residue | pass | - | ASTM D1093 |

WWW.WORLDARCHEXIM.COM

WORLDARCH EXIM PVT. LTD.

Flat No. EWS-GF08. La Lagune, Sector54, Golf Course Road, Gurgaon Haryana-122002 India